

1-20. (CANCELED).

21. (NEW) A portable communicator comprising:

a wireless communication device which is wirelessly connected to a public communication channel and conducts transmission and reception through the public communication channel;

a computer which outputs control commands to the wireless communication device, enters data from the public communication channel through the wireless communication device and transmits data to the public communication channel through the wireless communication device;

at least one display which shows predetermined images sent by the computer; and

a power level display controlling device to show a remaining amount of power on the display.

22. (NEW) The portable communicator according to claim 21, further comprising a standby-for-reception status display controlling device to show a status of standby-for-reception of the portable communicator on the display while the remaining amount of power is shown.

23. (NEW) The portable communicator according to claim 21, further comprising a receiving status display controlling device to show a receiving status of the portable communicator with a lamp.

24. (NEW) The portable communicator according to claim 21, wherein the remaining amount of power is shown by the power level display controlling device on the display even when the portable communicator is in a receiving-data status and a calling status.

25. (NEW) The portable communicator according to claim 21, wherein the remaining amount of power is shown with a bar graph.

26. (NEW) The portable communicator according to claim 21, comprising two displays and further comprising a display controlling device to display the remaining amount of power on one of the two displays and to display a data menu and a telephone menu on the other display.

27. (NEW) The portable communicator according to claim 21, further comprising a display controlling device to display a navigation menu and a telephone menu.

28. (NEW) A portable communicator comprising:

a wireless communication device which is wirelessly connected to a public communication channel and conducts transmission and reception through the public communication channel;

a computer which outputs control commands to the wireless communication device, enters data from the public communication channel through the wireless communication device and transmits data to the public communication channel through the wireless communication device;

a display which shows predetermined images sent by the computer;

a display controlling device to show a standby-for-reception status of the portable communicator on the display;

another display controlling device to show receive data on the display; and

a display switching device which switches a display of the standby-for-reception status and display of receive data.

29. (NEW) A portable communicator comprising:

a wireless communication device which is wirelessly connected to a public communication channel and conducts transmission and reception through the public communication channel;

a computer which outputs control commands to the wireless communication device, enters data from the public communication channel through the wireless

communication device and transmits data to the public communication channel through the wireless communication device;

a display which shows predetermined images sent by the computer;

a display controlling device to show a standby-for-reception status of the portable communicator on the display;

another display controlling device to show a telephone menu on the display;

and

a display switching device which switches a display of the standby-for-reception status and a display of the telephone menu.

30. (NEW) A portable communicator comprising:

a wireless communication device which is wirelessly connected to a public communication channel and conducts transmission and reception through the public communication channel;

a computer which outputs control commands to the wireless communication device, enters data from the public communication channel through the wireless communication device and transmits data to the public communication channel through the wireless communication device;

a display which shows predetermined images sent by the computer;

a display controlling device to show a standby-for-reception status of the portable communicator on the display;

another display controlling device to show transmit data; and

a display switching device which switches a display of the standby-for-reception status and a display of receive data.

31. (NEW) A portable communicator comprising:

a wireless communication device which is wirelessly connected to a public communication channel and conducts transmission and reception through the public communication channel;

a computer which outputs control commands to the wireless communication device, enters data from the public communication channel through the wireless communication device and transmits data to the public communication channel through the wireless communication device;

a display which shows predetermined images sent by the computer;

a display controlling device to show a standby-for-reception status of the portable communicator on the display;

another display controlling device to show a map; and

a display switching device which switches a display of the standby-for-reception status and display of the map.

32. (NEW) A portable communicator comprising:

a wireless communication device which is wirelessly connected to a public communication channel and conducts transmission and reception through the public communication channel;

a computer which outputs control commands to the wireless communication device, enters data from the public communication channel through the wireless communication device and transmits data to the public communication channel through the wireless communication device;

a display which shows predetermined images sent by the computer;

a display controlling device to show a standby-for-reception status of the portable communicator on the display;

another display controlling device to show an application selection screen;

and

a display switching device which switches a display of the standby-for-reception status and a display of the application selection screen.